



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CEREBROSPINAL MENINGITIS.

Kansas—Wright.

Collaborating Epidemiologist Crumbine reported February 15, 1917, that 5 cases of cerebrospinal meningitis, all in one family, had been notified at Wright, Kans.

City Reports for week Ended Feb. 3, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md.....		1	Manchester, N. H.....	1	1
Binghamton, N. Y.....	1		Nashville, Tenn.....	1	
Boston, Mass.....	1	1	New York, N. Y.....	7	4
Buffalo, N. Y.....	1		Omaha, Nebr.....	3	
Chicago, Ill.....	2	1	Philadelphia, Pa.....	4	2
Cleveland, Ohio.....	1		Portsmouth, Va.....	1	1
Detroit, Mich.....	1		Saginaw, Mich.....	1	1
Dubuque, Iowa.....	1	1	St. Joseph, Mo.....	1	1
El Paso, Tex.....	1	1	St. Louis, Mo.....	1	
Hartford, Conn.....	4		San Francisco, Cal.....	1	
Indianapolis, Ind.....	1		San Jose, Cal.....	1	
Kansas City, Kans.....	2		Springfield, Mass.....	1	
Kansas City, Mo.....	1				

DIPHTHERIA.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 331.

ERYSIPELAS.

City Reports for Week Ended Feb. 3, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio.....		1	Long Beach, Cal.....	1	
Alameda, Cal.....	2		Los Angeles, Cal.....	2	
Baltimore, Md.....	7	1	Milwaukee, Wis.....	6	1
Binghamton, N. Y.....	2		Newark, N. J.....	10	
Boston, Mass.....		2	New Castle, Pa.....	1	
Braddock, Pa.....	1		New York, N. Y.....		9
Bridgeport, Conn.....	1		Pasadena, Cal.....	1	
Buffalo, N. Y.....	7		Philadelphia, Pa.....	24	2
Butte, Mont.....	1	1	Pittsburgh, Pa.....	13	
Butler, Pa.....	1		Portland, Oreg.....	2	
Camden, N. J.....	1		Providence, R. I.....	1	
Chicago, Ill.....	37	5	Reading, Pa.....	1	
Cincinnati, Ohio.....	2		Rockford, Ill.....	1	
Cleveland, Ohio.....	12	1	St. Joseph, Mo.....	1	1
Cumberland, Md.....	1		St. Louis, Mo.....	14	
Denver, Colo.....	1		San Francisco, Cal.....	4	
Detroit, Mich.....	9	1	Seattle, Wash.....	2	1
Duluth, Minn.....	2		Springfield, Ill.....		1
Eric, Pa.....	1		Syracuse, N. Y.....		1
Jackson, Mich.....	1		Wichita, Kans.....	1	
Lincoln, Nebr.....	1	1			

LEPROSY.**City Report for Week Ended Feb. 3, 1917.**

During the week ended February 3, 1917, one death from leprosy was reported in New York, N. Y.

MALARIA.**City Reports for Week Ended Feb. 3, 1917.**

During the week ended February 3, 1917, one case of malaria was reported in Brockton, Mass., and one death in Birmingham, Ala.

Arkansas Report for December, 1916.

Place.	New cases reported.	Place.	New cases reported.
Arkansas:		Arkansas—Continued.	
Carroll County.....	2	Newton County.....	8
Clay County.....	1	Ouachita County.....	1
Garland County.....	4	Phillips County.....	34
Greene County.....	40	Saline County.....	20
Hempstead County.....	16	Sevier County.....	50
Izard County.....	10	St. Francis County.....	16
Jackson County.....	10	Washington County.....	1
Lafayette County.....	28	White County.....	10
Mississippi County.....	25		
Monroe County.....	2	Total.....	278

MEASLES.**California—Los Angeles.**

Senior Surg. Brooks reported concerning an increase in the prevalence of measles in Los Angeles, Cal., as follows: During the month of January, 1917, 176 cases were notified; during the week ended February 3, 1917, 81 cases were notified; and during the week ended February 10, 1917, 126 cases were notified.

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 331.

PELLAGRA.**Arkansas Report for December, 1916.**

Place.	New cases reported.	Place.	New cases reported.
Arkansas:		Arkansas—Continued.	
Drew County.....	6	Saline County.....	4
Phillips County.....	3	White County.....	1
Pulaski County.....	3	Total.....	17

City Reports for Week Ended Feb. 3, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala.....	1		Nashville, Tenn.....		1
Charleston, S. C.....		1	Taunton, Mass.....		1
Mobile, Ala.....		1	Washington, D. C.....	1	

PNEUMONIA.**City Reports for Week Ended Feb. 3, 1917.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Allentown, Pa.	1	Manchester, N. H.	6	6
Auburn, N. Y.	4	4	McKeesport, Pa.	4
Baltimore, Md.	25	33	Newark, N. J.	78	21
Binghamton, N. Y.	2	3	New Castle, Pa.	4
Birmingham, Ala.	4	8	Newport, Ky.	1	1
Braddock, Pa.	8	Norristown, Pa.	8	1
Bridgeport, Conn.	18	Pasadena, Cal.	1	2
Chicago, Ill.	303	121	Pawtucket, R. I.	4
Cleveland, Ohio	66	37	Philadelphia, Pa.	149	65
Coffeyville, Kans.	3	Pittsburgh, Pa.	32	40
Detroit, Mich.	14	31	Reading, Pa.	4	3
Dubuque, Iowa.	5	5	Rocky Mount, N. C.	1	1
Erie, Pa.	3	Saginaw, Mich.	7	7
Flint, Mich.	3	Sandusky, Ohio.	2	1
Grand Rapids, Mich.	7	4	San Francisco, Cal.	14	13
Jackson, Mich.	1	San Jose, Cal.	1
Kalamazoo, Mich.	7	5	Schenectady, N. Y.	4	4
Kansas City, Kans.	2	Toledo, Ohio.	4	3
Kansas City, Mo.	8	28	Topeka, Kans.	1
Lancaster, Pa.	2	Wichita, Kans.	3	2
Lexington, Ky.	1	3	Wilkinsburg, Pa.	3	2
Lincoln, Nebr.	1	York, Pa.	1
Lorain, Ohio.	1	Zanesville, Ohio.	1	3
Los Angeles, Cal.	10	9			

POLIOMYELITIS (INFANTILE PARALYSIS).**Arkansas Report for December, 1916.**

During the month of December, 1916, one case of poliomyelitis was reported in Craighead County, Ark.

City Reports for Week Ended Feb. 3, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio.	1	Niagara Falls, N. Y.	1
Albany, N. Y.	1	Philadelphia, Pa.	1
Boston, Mass.	1	San Diego, Cal.	1	1
Chicago, Ill.	1	2	San Francisco, Cal.	1
Lawrence, Mass.	1	Toledo, Ohio.	1
New York, N. Y.	4	1			

RABIES IN ANIMALS.**City Reports for Week Ended Feb. 3, 1917.**

During the week ended February 3, 1917, one case of rabies in animals was reported in Detroit, Mich.; one case was reported in Worcester, Mass.; and one case in Niagara Falls, N. Y.

ROCKY MOUNTAIN SPOTTED FEVER.**State Reports for the Year 1916.**

Surg. Fricks reported concerning the occurrence of Rocky Mountain spotted fever during the year 1916, as follows:

State.	Cases.	Deaths.	State.	Cases.	Deaths.
California.	11	Utah.	29
Colorado.	5	1	Washington.	3
Idaho.	151	11	Wyoming.	26	6
Montana.	19	6			
Nevada.	20	2	Total.	290	30
Oregon.	26	4			

ROCKY MOUNTAIN SPOTTED FEVER—Continued.**State Report for the Year 1916—Continued.**

This total of 290 cases, with 30 deaths, gives a case fatality rate of approximately 10 per cent for 1916, as compared with 572 cases, with 40 deaths, reported in 1915, representing a case fatality rate of about 7 per cent.

The greatest differences between the reported cases for the two years is found in the figures for the States of Colorado, Idaho, and Oregon, as follows: Colorado, 1915, 14 cases, 1 death; 1916, 5 cases, 1 death. Idaho, 1915, 360 cases, 11 deaths; 1916, 151 cases, 11 deaths. Oregon, 1915, 46 cases, 4 deaths; 1916, 26 cases, 4 deaths.

A great reduction in cases has occurred in certain counties in Idaho, notably Bannock and Elmore.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 331.

SMALLPOX.**Connecticut.**

Collaborating Epidemiologist Black reported that during the week ended February 17, 1917, 16 new cases of smallpox were notified in the State of Connecticut, all of which occurred in Waterbury.

Minnesota.

Collaborating Epidemiologist Bracken reported that during the week ended February 17, 1917, 3 new foci of smallpox infection were reported in Minnesota, cases of the disease having been notified as follows: Chisago County, Shaffer Township, 1; Olmsted County, Dover, 1; Polk County, Fairfax Township, 1.

Arkansas Report for December, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Arkansas:			Arkansas—Continued:		
Benton County.....	2	Phillips County.....	4
Clay County.....	2	Pike County.....	52
Craighead County.....	16	Polk County.....	20
Dallas County.....	1	Pulaski County.....	15
Faulkner County.....	4	Saline County.....	2
Garland County.....	18	Scott County.....	7
Greene County.....	4	Sevier County.....	4
Hot Spring County.....	1	St. Francis County.....	8
Izard County.....	3	White County.....	12
Jackson County.....	3			
Mississippi County.....	15	Total.....	193

SMALLPOX—Continued.

City Reports for Week Ended Feb. 3, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio.....		2	Ogden, Utah.....	2	
Austin, Tex.....	2		Oklahoma City, Okla.....	5	
Butte, Mont.....	7		Omaha, Nebr.....	8	
Chicago, Ill.....	5		Portland, Oreg.....	4	
Cleveland, Ohio.....	10		Rockford, Ill.....	6	
Columbus, Ohio.....	1		Rocky Mount, N. C.....	1	
Danville, Ill.....	3		St. Joseph, Mo.....	2	
Detroit, Mich.....	7		St. Louis, Mo.....	2	
El Paso, Tex.....	2	2	St. Paul, Minn.....	3	
Flint, Mich.....	3		San Diego, Cal.....	1	
Grand Rapids, Mich.....	1		San Francisco, Cal.....	14	1
Indianapolis, Ind.....	6		Seattle, Wash.....	3	
Johnstown, Pa.....	2		Sioux City, Iowa.....	1	
Kansas City, Mo.....	2		Toledo, Ohio.....	5	
Little Rock, Ark.....	2		Topeka, Kans.....	2	
Minneapolis, Minn.....	13		Wichita, Kans.....	3	
New Orleans, La.....	8				

TETANUS.

City Reports for Week Ended Feb. 3, 1917.

During the week ended February 3, 1917, one death from tetanus was reported in Birmingham, Ala., and one case and one death were reported in Los Angeles, Cal.

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 331.

TYPHOID FEVER.

California—Infection from Polluted Oysters.

The secretary of the California State Board of Health reported by telegraph February 15, 1917, the occurrence of cases of typhoid fever in San Francisco, Berkeley, Alameda, Pasadena, Redlands, and San Diego, Cal., a total of 42 cases of the disease having been notified. Bacteriological investigation by the San Diego health department indicated that the source of the infection was polluted oysters.

New York—Utica.

The director of the division of communicable diseases of the New York State Department of Health reported by telegraph, February 17, 1917, that 40 cases of typhoid fever had developed in the city of Utica, N. Y., apparently due to infected water.

TYPHOID FEVER—Continued.**Arkansas Report for December, 1916.**

Place.	New cases reported.	Place.	New cases reported.
Arkansas:		Arkansas—Continued.	
Carroll County	1	Newton County	1
Dallas County	2	Perry County	1
Faulkner County	4	Pulaski County	3
Garland County	5	Saline County	8
Greene County	2	St. Francis County	1
Hempstead County	2	Washington County	17
Izard County	3	White County	3
Lawrence County	1	Total	55
Mississippi County	1		

City Reports for Week Ended Feb. 3, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Albany, N. Y.	4		Milwaukee, Wis.	1	
Allentown, Pa.	3		Minneapolis, Minn.	3	
Ann Arbor, Mich.	2		Newark, N. J.	2	
Atlantic City, N. J.	1		New Bedford, Mass.	1	
Baltimore, Md.	2	2	New Castle, Pa.	5	
Beaver Falls, Pa.	2		New London, Conn.		1
Birmingham, Ala.	3	1	New Orleans, La.	2	
Boston, Mass.	3		New York, N. Y.	29	3
Buffalo, N. Y.	7	1	Norristown, Pa.		1
Cambridge, Mass.	1		Pasadena, Cal.	1	1
Camden, N. J.	1		Philadelphia, Pa.	8	2
Charleston, S. C.		1	Pittsburgh, Pa.	2	1
Chicago, Ill.	2	2	Reading, Pa.	3	
Cleveland, Ohio.	5	3	Sacramento, Cal.	1	
Covington, Ky.	1		Saginaw, Mich.	1	
Denver, Colo.	1		St. Joseph, Mo.	1	1
Detroit, Mich.	8	1	St. Louis, Mo.	4	1
East Chicago, Ind.	13		St. Paul, Minn.	1	
El Paso, Tex.		1	San Diego, Cal.	6	2
Flint, Mich.	3		Sandusky, Ohio.	1	
Fort Wayne, Ind.		1	San Francisco, Cal.	6	1
Fort Worth, Tex.	1		Schenectady, N. Y.	1	
Galveston, Tex.	3		Seattle, Wash.	2	
Hoboken, N. J.	2		South Bend, Ind.	1	
Indianapolis, Ind.	3		Steubenville, Ohio.	1	
Jackson, Mich.	1		Syracuse, N. Y.		1
Kalamazoo, Mich.	1		Toledo, Ohio.	1	
Kansas City, Mo.	2		Trenton, N. J.	1	
Lancaster, Pa.	2		Troy, N. Y.		1
Lawrence, Mass.		1	Washington, D. C.	4	
Lexington, Ky.	1	1	Wilkinsburg, Pa.	1	
Los Angeles, Cal.		1	Winston-Salem, N. C.	1	
Lowell, Mass.	1		Zanesville, Ohio.	1	
Manchester, N. H.	1	1			

TYPHUS FEVER.**Texas—El Paso and Laredo.**

Senior Surg. Pierce reported that during the week ended February 3, 1917, 3 new cases of typhus fever were notified at El Paso and 1 new case at Laredo, Tex., making totals of 53 cases reported at El Paso and 11 cases at Laredo during the period from July 1, 1916, to February 3, 1917.

During the week ended February 10, 1917, no new case of typhus fever was reported at El Paso or Laredo.

TYPHUS FEVER—Continued

Texas—El Paso and Laredo—Continued.

During the two weeks ended February 10, 1917, 68,888 persons were inspected at points in Texas on the Mexican border. Of this number 8,338 were disinfected for destruction of vermin and 5,765 were vaccinated. Three sick persons were detained for observation and 64 were refused admission because of illness.

City Report for Week Ended Feb. 3, 1917.

During the week ended February 3, 1917, three cases of typhus fever were reported in El Paso, Tex.

DIPHThERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

Arkansas Report for December, 1916.

During the month of December, 1916, 26 cases of diphtheria, 309 cases of measles, and 44 cases of scarlet fever were reported in Arkansas.

City Reports for Week Ended Feb. 3, 1917.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md.	589,621		16	3	17		6		48	31
Boston, Mass.	756,476	307	75	5	121		38		52	28
Chicago, Ill.	2,497,722	880	185	34	330	9	421	18	250	75
Cleveland, Ohio.	674,073	217	32	7	58		16		38	26
Detroit, Mich.	571,784	245	96	8	16	1	105	1	22	12
Los Angeles, Cal.	503,812	150	23	1	81		10		60	21
New York, N. Y.	5,602,841	1,754	321	24	323	7	134	4	344	222
Philadelphia, Pa.	1,709,518	649	67	11	17	1	34		157	84
Pittsburgh, Pa.	579,090	199	20	2	93		14		25	12
St. Louis, Mo.	757,309	254	93	1	179	2	52		37	26
From 300,000 to 500,000 inhab- itants:										
Buffalo, N. Y.	468,558	110	32	3	6		19		22	19
Cincinnati, Ohio.	410,476	169	18		19		8	1	26	27
Jersey City, N. J.	306,345	104	19	3	8		18		25	7
Milwaukee, Wis.	436,535		28		3		94	2	14	6
Minneapolis, Minn.	363,454		10		13		16			
Newark, N. J.	408,894	127	30	2	17		15		47	20
New Orleans, La.	371,747		16	1	494	10			34	29
San Francisco, Cal.	463,516	159	21		224	1	44		19	15
Seattle, Wash.	348,639	48			155	1	4		13	3
Washington, D. C.	363,980	152	4		46		13		23	11
From 200,000 to 300,000 inhab- itants:										
Columbus, Ohio.	214,878	70	3		110	3	1		8	7
Denver, Colo.	260,800	75	6		151		9			15
Indianapolis, Ind.	271,708		17		65		11		11	
Kansas City, Mo.	297,847		14	3	49		50			13
Portland, Oreg.	295,465	41	2		215	1	24		2	
Providence, R. I.	254,960	95	15	5	2		12			11
St. Paul, Minn.	247,232	62	11		22		16		6	4
From 100,000 to 200,000 inhab- itants:										
Albany, N. Y.	104,199		1		4				22	
Birmingham, Ala.	181,762	68	1		73	1			18	5
Bridgeport, Conn.	121,579	53	7	1	20		3		4	4
Cambridge, Mass.	112,981	31	15	2	27		2		6	3

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended Feb. 3, 1917—Continued.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 100,000 to 200,000 inhabit- ants—Continued.										
Camden, N. J.	106,233		4				2		2	
Fall River, Mass.	128,366	54	6	2	98	3	2		13	6
Ft. Worth, Tex.	104,562	23	2		15					
Grand Rapids, Mich.	128,291	42	1	1	15		19		3	2
Hartford, Conn.	110,900	48	6		1		1		4	1
Lawrence, Mass.	100,560	32	3		1		1		2	3
Lowell, Mass.	113,245	45	11	2	24	1	2		8	6
Lynn, Mass.	102,425	34	2		4		3		8	4
Nashville, Tenn.	117,057	53	1		77		3		8	5
New Bedford, Mass.	118,158	32	2	1	32		3		12	4
New Haven, Conn.	149,685		4		28				2	1
Omaha, Nebr.	165,470	31	4		3		18			5
Reading, Pa.	109,381	39	1				2		5	3
Richmond, Va.	156,687	58	4		35		5		4	7
Salt Lake City, Utah.	117,399	38	1		65		17		1	1
Springfield, Mass.	105,942	32	17	1			12		5	
Syracuse, N. Y.	155,624	54	12	1	15		17		4	3
Tacoma, Wash.	112,770	19			36		4			
Toledo, Ohio.	191,554	75	6	1	4		88	1	11	12
Trenton, N. J.	111,593	40	3				1		4	1
Worcester, Mass.	163,314	46	6		1		17		4	4
From 50,000 to 100,000 inhabit- ants:										
Akron, Ohio.	83,625		8		9		7		1	
Allentown, Pa.	63,505	21	3				5	1	1	
Atlantic City, N. J.	57,660	11			39		3		7	
Bayonne, N. J.	69,893		3				2		7	
Berkeley, Cal.	57,653	6	1		18		5		1	
Binghamton, N. Y.	53,973	35	11	1	24	1	5		3	2
Brockton, Mass.	67,449	21	2		1		4		6	1
Canton, Ohio.	60,852	8					7		1	1
Charleston, S. C.	60,734	34					1			2
Covington, Ky.	57,144	28	1				2		1	6
Duluth, Minn.	94,495		6		2		6		5	
Elizabeth, N. J.	86,690	28	16		2		7		3	2
El Paso, Tex.	63,705	71	1	1	11	2	3			13
Erie, Pa.	75,195		3		7		1		4	31
Evansville, Ind.	76,078	20	2		17				1	3
Flint, Mich.	54,772	13	2				17		2	1
Fort Wayne, Ind.	76,183	27	2				2		4	1
Hoboken, N. J.	77,214	20	2		1		11		6	
Johnstown, Pa.	68,529	24			4				2	2
Kansas City, Kans.	99,437		4		2		17			
Lancaster, Pa.	50,833		1		1		1		1	
Little Rock, Ark.	57,343	35			26		2			
Malden, Mass.	51,155	10	6		1		4		1	1
Manchester, N. H.	78,283	41	1	2	2		1		1	1
Mobile, Ala.	58,221	16			2					2
New Britain, Conn.	53,794		3				3		9	
Norfolk, Va.	89,612	5	2		16		1		1	3
Oklahoma City, Okla.	92,943	22	1	1	56		2		3	3
Pascale, N. J.	71,744	19	4				2		3	2
Pawtucket, R. I.	59,411	22	1		1					
Portland, Me.	63,867	25	3	1						1
Rockford, Ill.	55,185	20			2		2		2	2
Sacramento, Cal.	66,895	39			5		3		12	4
Saginaw, Mich.	55,642	29	1		1		3			
St. Joseph, Mo.	85,236	25	3		3		7		1	1
San Diego, Cal.	53,330				7		2		7	2
Schenectady, N. Y.	99,519	21	1		56		5		8	2
Sioux City, Iowa.	57,078						1			
Somerville, Mass.	87,039	31	5		5		3		4	3
South Bend, Ind.	68,946	18			2		17		2	2
Springfield, Ill.	61,120	39	6		6		2			1
Troy, N. Y.	77,916		4	1	42		3		6	3
Wichita, Kans.	70,722		1		17		1		4	1
Wilkes-Barre, Pa.	76,776	29	6		1				3	1
Wilmington, Del.	94,265	39	1	1			5			
York, Pa.	51,656		1				4			

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended Feb. 3, 1917—Continued.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.		
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	
From 25,000 to 50,000 inhabitants:											
Alameda, Cal.	27,732	7			12		17	1	1	2	
Auburn, N. Y.	37,385	10			1		2				
Austin, Tex.	34,814	7	1								
Brookline, Mass.	32,730	9	1		2		1		1		
Butler, Pa.	27,632	11			1		1			1	
Butte, Mont.	43,425	24	2		14		2				
Chelsea, Mass.	46,192	14	1				1		1	2	
Cumberland, Md.	26,074	6			1				2		
Danville, Ill.	32,261	10			4		1		2	1	
Davenport, Iowa.	48,811						1				
Dubuque, Iowa.	39,873	8			16				2	2	
East Chicago, Ind.	28,743						3			2	
East Orange, N. J.	42,458	7	2		13		3		1		
Elgin, Ill.	28,203	9			55		1			1	
Everett, Mass.	39,233	17	6		1				2	2	
Everett, Wash.	35,486	3	1		73						
Fitchburg, Mass.	41,781	12	3	1					2		
Galveston, Tex.	41,863	9	1								
Haverhill, Mass.	48,477		5		9				4	1	
Jackson, Mich.	35,363	14	8	2	24		6		1	1	
Kalamazoo, Mich.	48,886	22			8		3		1	3	
Kenosha, Wis.	31,576	5	4	2			1				
Kingston, N. Y.	28,771	18	1							2	
Knoxville, Tenn.	38,676			30					1		
La Crosse, Wis.	31,677	9							2	1	
Lexington, Ky.	41,097	21	1	1	8				5		
Lima, Ohio	35,384						3				
Lincoln, Nebr.	46,515	19	2		14		5				
Long Beach, Cal.	27,587	12			1				3		
Lorain, Ohio.	36,964						8				
Lynchburg, Va.	32,940	9			4		2		5		
Madison, Wis.	30,699						12		4		
McKeesport, Pa.	47,521	12	3				4			1	
Medford, Mass.	26,234	13	4		11				1		
Montclair, N. J.	26,318	9			1						
Newburgh, N. Y.	29,603		2		1				2	5	
New Castle, Pa.	41,133								6		
Newport, Ky.	31,927	12	1						2	2	
Newton, Mass.	43,715	13	1		24		1		3		
Niagara Falls, N. Y.	37,353	11			3				7		
Norristown, Pa.	31,401	11	5						2		
Ogden, Utah.	31,404	4			28		2				
Orange, N. J.	33,080	16					3		1		
Pasadena, Cal.	46,450	14	2		1					2	
Perth Amboy, N. J.	41,185		2						4		
Pittsfield, Mass.	38,629	8					1		4	2	
Portsmouth, Va.	39,651	12	2		8		6			1	
Quincy, Ill.	36,798	12			7		1			2	
Quincy, Mass.	38,136	8		1		2				3	
Racine, Wis.	46,486	10	2				2		2		
Roanoke, Va.	43,284	14	2		32				2		
San Jose, Cal.	38,902	6			1				2		
Steubenville, Ohio.	27,445	15									
Superior, Wis.	46,226	5									
Taunton, Mass.	36,283	25								4	
Topeka, Kans.	48,726	20	1		42						
Waltham, Mass.	30,570	11			2						
West Hoboken, N. J.	43,139	4	1				1		4	1	
Wheeling, W. Va.	43,377	12	1		4		1		1		
Williamsport, Pa.	33,809		5				1				
Wilmington, N. C.	29,892	10							2		
Winston-Salem, N. C.	31,155	10	1		86		5	2	1	1	
Zanesville, Ohio.	30,863	13			2				1	1	
From 10,000 to 25,000 inhabitants:											
Ann Arbor, Mich.	15,010	12					2		3	2	
Beaver Falls, Pa.	13,532		1		1						
Braddock, Pa.	21,685						2				
Cairo, Ill.	15,794	10			19		1				

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended Feb. 3, 1917—Continued.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 10,000 to 25,000 inhabit- ants—Continued.										
Clinton, Mass.	¹ 13,075	4			8					
Coffeyville, Kans.	17,548		2							
Concord, N. H.	22,669	12			1					
Galesburg, Ill.	24,276	9			1		1			
Harrison, N. J.	16,950		1		1		1		1	
Kearny, N. J.	23,539	8	2				2			
Kokomo, Ind.	20,930	14	3		32	1			1	1
Long Branch, N. J.	15,395	2	1				2		1	
Morristown, N. J.	13,284	5					1			
Nanticoke, Pa.	23,126	8					4			
Newburyport, Mass.	15,243	10	2				2			
New London, Conn.	20,985	12								
North Adams, Mass.	¹ 22,019	13							1	
Northampton, Mass.	19,926	15			1		3		3	3
Plainfield, N. J.	23,805	10					2		2	2
Portsmouth, N. H.	11,666				1					
Rocky Mount, N. C.	12,067	8	2	1	36					
Rutland, Vt.	14,831	7			19		1			
Sandusky, Ohio.	20,193	1			4					1
Saratoga Springs, N. Y.	13,821	6					1			
Steelton, Pa.	15,548	4							1	
Wilkinsburg, Pa.	23,228	8	1		2		2			1
Woburn, Mass.	15,969	5								2

¹ Population Apr. 15, 1910; no estimate made.